



RECEIVED
CENTRAL FAX CENTER
JAN 26 2005

DIMOCK STRATTON LLP*Barristers and Solicitors • Patent and Trade-Mark Agents***FAX**

DATE: January 26, 2005

TO: NAME & FIRM	PHONE #	FAX #
Examiner Vincent Q. Nguyen United States Patent and Trademark Office GROUP ART UNIT: 2858	1-571-272-2234	1-703-872-9306

FROM: Mark B. Eisen

OUR FILE: 1569-6/MBE

TOTAL PAGES SENT (including this page): 14

Confirmation of facsimile to follow: ☐ Yes ☒ No, unless requested

If you do not receive all the pages of this facsimile clearly,
please call Liz Forster at (416) 971-7202.

NOTES:**Re: U.S. Patent Application No. 10/609,486**

*Documents Enclosed: Response to Office Action mailed
August 3, 2004 (signature page in duplicate); Petition for 3 month
extension of time (in duplicate); Fee Calculation Sheet (in
duplicate).*

This fax may contain information which is confidential and privileged. If you are not
the intended recipient of this fax, you are not permitted to make use of this fax.

If you have received this in error, please notify the sender.


20 Queen Street West, Suite 3202, Box 102, Toronto, Ontario Canada M5H 3R3
Tel: (416) 971-7202 Fax (416) 971-6638
E-mail: firm@dimock.com • www.dimock.com

RECEIVED
CENTRAL FAX CENTER
JAN 26 2005

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document and the documents indicated as enclosed herewith are being sent by facsimile transmission to the United States Patent and Trademark Office on the date set forth below.

Date: January 26, 2005


Mark B. Eisen
Registration No. 33,088

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 10/609,486

Filing Date: July 1, 2003

Applicant: Eric George de Buda

Title: Coreless Current Sensor

Examiner: Nguyen, Vincent Q.

Attorney's Ref.: 1569-6/MBE

AMENDMENT

In response to the Official Action

Dated: August 3, 2004

Commissioner for Patents
U.S. Patent and Trademark Office
220 20th Street South
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202
U.S.A.

Dear Sir:

Please amend this application as follows: